



NOXEM GROUP
FRANCE

CATALOGUE 2026

FLAT GLASS SUPPLIER TO PROFESSIONALS

Your flat glass, direct from the factory.

Float, laminated, Low-E, mirrors, insulating glazing: certified CE quality at extremely competitive prices, delivered to your site in France, Europe and worldwide.

Your price within 24 h →

noxemgroup.com

600+

flat glass
references

EN · CE

certified to
standards

Factory

prices, no
middleman

24 h

to receive your
price

Worldwide

CIF to every port

OUR BUSINESS

We import and deliver your flat glass, in large volumes, at the best price.

Stock in Belgium, container export to your port and delivery to your site — with one single point of contact.

A subsidiary of Montaugem, share capital €5,177,000

1

Large volumes

From a full truck to several containers per order, at extremely competitive prices.

2

Certified quality

Glass compliant with EN and CE standards, certificates supplied with every order.

3

Logistics A to Z

Transport, customs clearance and final delivery: one single contact.



With Noxem Group you get one single contact, extremely competitive prices and an answer within 24 hours with a detailed quote.

Aaron Harfi · CEO, Noxem Group

WHAT IT CHANGES FOR YOU


You pay the factory price — without building your own import department and without financing a wholesaler's warehouse.

Factory prices

Full containers

Mixed loads

Door delivery



Container ready for loading



Truck loading at our Belgian stock

HOW IT WORKS

From your request to your delivery, in 5 steps.

01

Your request

References, thicknesses, quantities, delivery place. An Excel list is enough.

02

Your price in 24 h

A detailed quote, delivered to your door, with the lead time stated.

03

Order & control

Order confirmed in writing, EN conformity check.

04

Packing & transport

Secured wooden crates, strapping, wedges and interleaving.

05

Delivery

Customs-cleared and delivered to your site, ready to unload.

OUR OFFERS

Two ways to buy, depending on your volumes.

DIRECT IMPORT

Full container, factory price

The lowest price, for large volumes.

- ✓ Full container in secured wooden crates
- ✓ Delivered customs-cleared to your site
- ✓ Factory price, no middleman

For: processors, wholesalers, distributors, stockists, importers.

MIXED DELIVERY

Several references, one transport

For flexible volumes, without filling a container.

- ✓ Mixed stacks: several references & thicknesses
- ✓ Mixed racks in the same truck
- ✓ Small and medium quantities

For: mirror shops, small and medium processors.

Send your list. Get your price within 24 h.

In your language — we answer in 12 languages.

[Request a price →](#)

WhatsApp +33 7 69 72 58 92

WHO WE WORK WITH

Professionals who buy glass **in volume.**

Processors & toughening plants

Float and laminated in large formats to feed your lines.

Mirror shops

Mirrors and decorative glass direct, full or mixed loads.

Wholesalers & distributors

Volumes and competitive prices, without an import department.

Stockists

Regular volume supplies at controlled prices.

Manufacturers

Flat glass for furniture, fit-out, appliances.

International importers

A coordinated purchasing and transport chain for you.

OUR VALUES

01 Transparency

Clear, stable pricing. Straight answers. Commitments stated precisely.

02 Responsiveness

Every request triggers an immediate search for the right supplier, quality and lead time.

03 Reliability

We only promise what we can deliver. Glass washed, crates secured, every step checked.

04 Expertise

A team from the industry that speaks your language — without jargon.

05 Trust

Long-term relationships built on respect, honesty and consistency.

06 Innovation

Smart, technical and custom glass as soon as it reaches the market.

WHY NOXEM

**The best price,
without
compromise on
quality.**

Partner of the French flat glass industry — member organisations UDTVP and FFPV.



PRODUCTS

More than 600 flat glass references, to EN standards.

DIRECT FROM THE FACTORY

Clear float

Tinted float

Extra-clear

Mirrors

Laminated

Opal laminated

Acoustic laminated

Low-E

Solar control

Toughenable glass

Decorative glass

A reference missing? We find it for you.

PROCESSED ON DEMAND

Tempered / HST

Tempered laminated

Double glazing

Balustrades

Edgework & drilling

Made to drawings, for your specific projects or peak workloads.

SAFETY GLASS

Tempered glass 06

Laminated safety glass 07

BASE GLASS

Float glass 08

INSULATING GLAZING

Insulating double glazing 09

Insulating triple glazing 10

DECORATIVE GLASS

Lacquered glass 11

Frosted glass 12

Patterned glass 13

Enamelled & printed glass 20

SOLAR & THERMAL CONTROL

Body-tinted glass 14

Solar-control reflective glass 15

Low-emissivity glass 16

MIRRORS

Professional mirror glass 17

Copper- and lead-free mirror 18

Antique mirror 19

SPECIAL & INNOVATIVE

Innovative & special glazing 21

Photovoltaic glass 22

SAFETY GLASS

Tempered glass

Clear or tinted

Tempered glass goes through a controlled thermal process that makes it up to five times stronger than standard glass. If it breaks, it shatters into small blunt fragments — optimal safety for people.

We supply it in a wide range of formats, thicknesses and shades, from standard series to fully custom pieces cut to your drawings.

THICKNESSES

Custom-made to your project

DIMENSIONS

Custom-made to your project

COLOURS

- Clear, extra-clear
- Light / dark grey
- Light / dark bronze
- Light / dark blue
- Green
- Black
- Other shades for larger volumes

FINISHES


- Polished edges
- Rounded corners
- Drilling
- Digital, enamel & screen printing
- Partial or full sandblasting
- Shaped cutting to plan

TYPICAL APPLICATIONS

- Glass partitions
- Exterior façades
- Balustrades
- Shower enclosures
- Backsplashes
- Shop windows
- Furniture & interior fittings
- Public spaces

STANDARDS EN 12150 · EN 12600 · CE

Not listed? Every size, colour and finish on request — we find it for you.



SAFETY GLASS

07

Laminated safety glass

PVB, SGP or EVA interlayer

Two or more glass sheets bonded with an interlayer. On impact the fragments stay attached to the interlayer, protecting people and property — with natural acoustic insulation and UV filtering as a bonus.

From standard compositions to advanced technical builds: tempered laminated, triple lamination, asymmetrical, acoustic or coloured interlayers.

STANDARD DIMENSIONS

- 2140 × 3300 mm
- 2250 × 3210 mm
- 2440 × 3300 mm
- 2440 × 3660 mm
- 2745 × 3658 mm

MAXIMUM DIMENSIONS

Up to 2440 × 3660 mm — 3210 × 6000 mm possible. Intermediate and custom formats on request.

COLOURS

Clear, extra-clear, grey, bronze, green, blue, opal / milky white. Other shades for larger volumes.

FINISHES

- Polished edges
- Sandblasting
- Drilling
- Digital & screen printing
- Shaped cutting
- Tempered laminated

TYPICAL APPLICATIONS

- Balustrades
- Glazed façades
- Glass roofs
- Partitions
- Shop windows
- Glass steps & floors
- Hotels, museums, public spaces

STANDARDS EN ISO 12543 · EN 14449 · CE

Not listed? Every size, colour and finish on request — we find it for you.

BASE GLASS

Float glass

Clear or extra-clear

Molten glass floated on a bath of molten tin: a perfectly flat surface and uniform optical quality.

The base product for every transformation — tempering, lamination, lacquering, silvering, double glazing. Delivered raw, processed or ready to machine.

THICKNESSES

3 · 4 · 5 · 5.5 · 6 · 8 · 10 · 12 · 15 · 19 mm — others on request

STANDARD FORMATS

- 1220 × 1830 mm
- 1650 × 2140 mm
- 2140 × 3300 mm
- 2440 × 3660 mm
- 3300 × 5100 mm (max.)

COLOURS

- Clear, extra-clear (low iron)
- Light / dark grey
- Light / dark bronze
- Green, blue

FINISHES

- Raw cut or polished edges
- Beveling
- Drilling
- Sandblasting
- Digital printing, enamelling
- Shaped cutting

TYPICAL APPLICATIONS

- Glass partitions
- Floor panels (after tempering)
- Interior fittings & furniture
- Base material for processing

STANDARDS EN 572 · CE

Not listed? Every size, colour and finish on request — we find it for you.



INSULATING GLAZING

09

Insulating double glazing

Made to measure

Two panes separated by air or gas (argon, krypton) for optimised thermal and acoustic insulation — the standard for exterior joinery, façades, verandas and technical partitions.

Every unit is built to your exact dimensions, combining clear, tempered, laminated, tinted, decorative or high-performance glass.

STANDARD COMPOSITIONS

4/6/4 · 4/12/4 · 6/12/4 · 6/16/4 · 8/16/6 · 10/16/10 · 6/20/6 mm — asymmetrical, acoustic, decorative on request

TOTAL THICKNESS & GAS

14 to 48 mm · Dry air, argon (standard), krypton (on request)

MAXIMUM DIMENSIONS

Up to 3300 × 6000 mm — shaped and technical formats on request

PERFORMANCE

- Uw down to 1.0 – 1.1 W/m²·K
- Acoustic Rw up to 42 dB
- Light transmission up to 80%
- Solar factor adjustable by coating

FINISHES


Polished edges · Black peripheral screen printing · Warm-edge spacer · Integrated blinds · Technical films

TYPICAL APPLICATIONS

Windows, glass doors, façades, verandas, partitions, glass roofs — aluminium, wood or PVC joinery

STANDARDS EN 1279 · CE

Not listed? Every size, colour and finish on request — we find it for you.



INSULATING GLAZING

10

Insulating triple glazing

Made to measure

Three panes separated by two gas layers (usually argon) for thermal performance above double glazing, with good acoustic comfort and high light transmission.

Designed for passive houses, high-performance commercial buildings, technical façades and cold climates — with strict quality control at assembly.

STANDARD COMPOSITIONS

4/12/4/12/4 · 4/14/4/14/4 ·
4/16/4/16/4 · 6/18/4/18/6 ·
6/20/6/20/4 mm

TOTAL THICKNESS & GAS

28 to 60 mm · Dry air, argon
(standard), krypton for max.
performance at reduced thickness

MAXIMUM DIMENSIONS

Up to 3300 × 6000 mm

PERFORMANCE

- U_w down to 0.5 – 0.7 W/m²·K
- Acoustic R_w up to 44 dB
- Light transmission up to 74%
- Solar factor (g) adjustable

FINISHES

Polished edges · Black peripheral
screen printing · Warm-edge
spacer · Integrated blinds ·
Asymmetrical acoustic builds

TYPICAL APPLICATIONS

Passive houses / RE2020 ·
Glazed façades · Skylights ·
Public buildings · HQE projects ·
Verandas

STANDARDS

EN 1279 · EN 673 · EN 410 · EN 12150 · EN 12600 ·
CE

Not listed? Every size, colour and finish
on request — we find it for you.



DECORATIVE GLASS

11

Lacquered glass

Back-painted float glass

Float glass coated on its back with coloured lacquer: a glossy, opaque, easy-to-clean finish for interiors, furniture and signage.

Standard colours in stock, plus custom shades matched to RAL or Pantone references.

THICKNESSES

4 · 5 · 6 · 8 · 10 · 12 mm — others on request

DIMENSIONS

Standard 1600 × 2550 mm and 2140 × 3300 mm · up to 3300 × 5100 mm · custom cutting

COLOURS

- White, black, grey
- Red, blue, green
- RAL, Pantone or custom on request

FINISHES

- Raw cut or polished edges
- Drilling
- Sandblasting, printing
- Special shapes to plan

TYPICAL APPLICATIONS

- Kitchen backsplashes
- Decorative wall panels
- Furniture fronts
- Signage
- Offices & hotel rooms

STANDARDS EN 1096 · CE

Not listed? Every size, colour and finish on request — we find it for you.

DECORATIVE GLASS

Frosted glass

Acid-etched or sandblasted

Float glass treated with acid or sandblasting for a satin finish: privacy without losing light.

Available in standard, tempered or laminated versions for residential, professional and decorative spaces.



THICKNESSES

4 · 5 · 6 · 8 · 10 · 12 mm — others on request

DIMENSIONS

- 2250 × 3210 mm
- 2550 × 3210 mm
- 3300 × 5000 mm

TYPES

- Acid-etched — fine, homogeneous
- Sandblasted — more textured
- Standard or tempered

COLOURS

Clear, extra-clear, bronze, grey, green · blue, black, opal white on request

FINISHES

- Polished edges
- Drilling
- Screen printing
- Shaped cutting

TYPICAL APPLICATIONS

- Office & home partitions
- Glass doors
- Shower screens
- Retail fittings, backsplashes

STANDARDS EN 12150 · EN 1096 · CE

Not listed? Every size, colour and finish on request — we find it for you.

DECORATIVE GLASS

Patterned glass

Textured rolled glass

Molten glass passed through engraved rollers: light goes through, views are blurred, and every space gains a decorative touch.

A wide choice of classic and modern patterns, colours and thicknesses, with tempering or custom cutting on request.



THICKNESSES

4 · 5 · 6 · 8 mm — depending on pattern

DIMENSIONS

- 1500 × 2000 mm
- 2000 × 2400 mm
- 2250 × 3210 mm

PATTERNS

- Chinchilla
- Cathedral
- Delta
- Mastercarré
- Masterligne
- Frosted — others on request

COLOURS

Clear, extra-clear, bronze, grey, green (coloured patterns: minimum order)

FINISHES

- Straight or shaped cutting
- Tempering (pattern-dependent)
- Raw or polished edges
- Drilling

TYPICAL APPLICATIONS

- Glass doors
- Decorative partitions
- Furniture fronts
- Shower screens
- Retail design

STANDARDS EN 572 · EN 12150 (if tempered) · CE

Not listed? Every size, colour and finish on request — we find it for you.



SOLAR & THERMAL CONTROL

14

Body-tinted glass

Tinted float glass

Metallic oxides added during melting give a uniform tint through the whole thickness. It filters light, reduces solar heat gain and creates subtle or bold effects.

Supplied raw, tempered, laminated or integrated into double glazing.

THICKNESSES

4 · 5 · 6 · 8 · 10 · 12 mm — others on request

DIMENSIONS

- 2140 × 3300 mm
- 2250 × 3210 mm
- 2440 × 3660 mm
- 3300 × 5100 mm

COLOURS

- Light & dark bronze
- Light grey (Eurogrey)
- Dark grey
- Green (French Green)
- Blue (Lake Blue)

FINISHES

- Raw cut or polished edges
- Tempering or lamination
- Drilling, sandblasting
- Digital printing

TYPICAL APPLICATIONS

- Exterior façades
- Shop windows
- Glass roofs, balustrades
- Partitions & designer furniture

STANDARDS EN 572 · EN 12150 (if tempered) · CE

Not listed? Every size, colour and finish on request — we find it for you.



SOLAR & THERMAL CONTROL

15

Solar-control reflective glass

Pyrolytic or magnetron coating

Float glass with a metallic coating that reflects part of the solar energy while letting daylight through — thermal and visual comfort for sun-exposed buildings, with a daytime mirror effect.

Some models must be tempered or laminated depending on use.

THICKNESSES

4 · 5 · 6 · 8 · 10 mm — others on request

DIMENSIONS

- 2140 × 3300 mm
- 2250 × 3210 mm
- 2440 × 3660 mm

COATINGS

- Hard coat (pyrolytic): durable, single glazing possible
- Soft coat (magnetron): higher performance, insulating units only

COLOURS

Azure blue, green, bronze, silver, grey — custom on request

FINISHES

- Tempering (coating-dependent)
- Lamination
- Integration into double glazing
- Peripheral printing

TYPICAL APPLICATIONS

- Glazed façades
- Sun-exposed shop windows
- Glass roofs & skylights
- Offices, schools, malls

STANDARDS EN 1096 · EN 12150 (if tempered) · CE

Not listed? Every size, colour and finish on request — we find it for you.



SOLAR & THERMAL CONTROL

16

Low-emissivity glass

Low-E

An invisible low-emissivity metallic coating cuts heat loss while keeping maximum daylight. Heating needs drop in winter, transparency stays intact.

Compliant with French thermal regulations (RT 2012, RE 2020), as single glass or inside double and triple glazing.

THICKNESSES

4 · 6 · 8 · 10 mm — others on request for laminated or insulating units

DIMENSIONS

- 2140 × 3300 mm
- 2440 × 3660 mm
- 3300 × 5100 mm

COATINGS

- Soft coat: highest efficiency, insulating glazing only
- Hard coat: single or double glazing

COLOURS

Clear, extra-clear · grey, bronze on other base glass (upon study)

FINISHES

- Raw cut or polished edges
- Black peripheral screen printing
- Digital printing
- Double / triple glazing integration

TYPICAL APPLICATIONS

- High-performance insulating glazing
- Windows & glazed façades
- Verandas, glass roofs
- Low-energy buildings

STANDARDS EN 1096 · EN 1279 (insulating) · CE

Not listed? Every size, colour and finish on request — we find it for you.



MIRRORS

17

Professional mirror glass

Silvered, coloured, copper-free, decorative

A complete range of mirrors for interior design, architecture and creative projects — clear, extra-clear or tinted float with a silver or aluminium reflective layer protected by technical paints.

Classic silvered, copper-free, safety-backed, aluminium, coloured, tinted or antique: every visual effect you need.

THICKNESSES

2 · 3 · 4 · 5 · 6 mm — others on request

DIMENSIONS

1220 × 1830 · 1830 × 2440 · 2140 × 3300 · 2440 × 3660 mm · up to 3300 × 5100 mm · any custom cut

COLOURS

Silver, grey, bronze, black, green, blue, white, violet, golden yellow, champagne, red · RAL / Pantone on request

FINISHES

- Straight or shaped cutting
- Polished, rounded or bevelled edges
- Drilling, sandblasting
- Digital & screen printing
- Safety back film

TYPICAL APPLICATIONS

- Interior design & wall panels
- Hotels, retail stores
- Reflective ceilings
- Bathrooms, elevators
- Custom furniture

STANDARDS EN 1036 · CE

Not listed? Every size, colour and finish on request — we find it for you.



MIRRORS

18

Copper- and lead-free mirror

Cu / Pb-free

The eco-friendly alternative to traditional mirrors. Made without copper or lead, it resists corrosion far better in humid environments — bathrooms, spas, hotels.

Long-term stability for projects with high aesthetic and technical demands, with custom cutting and safety backing.

THICKNESSES

3 · 4 · 5 · 6 mm — others on request

DIMENSIONS

- 1220 × 1830 mm
- 1830 × 2440 mm
- 2250 × 3210 mm

COLOURS

Silver, bronze, grey, blue, green · RAL / Pantone depending on quantity

FINISHES

- Straight or shaped cutting
- Polished, rounded or bevelled edges
- Drilling, sandblasting
- Anti-shatter backing film
- Digital & screen printing

TYPICAL APPLICATIONS

- Hotels & bathrooms
- Pharmacies
- Public spaces, elevators
- High-end backsplashes
- High-humidity areas

STANDARDS EN 1036 · CE

Not listed? Every size, colour and finish on request — we find it for you.

MIRRORS

Antique mirror

Aged effect — bronze, silver or custom

Controlled oxidation of the reflective layer creates an aged, marbled, mottled or cracked effect. Every sheet is unique.

The signature material of high-end interiors, hospitality and luxury retail — available with safety film and custom cutting.



THICKNESSES

4 · 5 · 6 mm — others for special projects

DIMENSIONS

1220 × 1830 · 1830 × 2440 · 2140 × 3300 mm · up to 3210 × 5100 mm depending on production

EFFECTS

- Light or pronounced oxidation
- Marbled or cracked
- Irregular mottled
- On grey, clear or bronze base

COLOURS

Antique silver, antique bronze, antique grey, patinated gold · blue, copper, champagne on request

FINISHES

- Straight or shaped cutting
- Polished, rounded or bevelled edges
- Safety backing film
- Cut to plan / furniture-ready

TYPICAL APPLICATIONS

- Feature walls
- Lobbies & reception areas
- Hotels, retail stores
- Elevators
- High-end residential

STANDARDS EN 1036 · CE

Not listed? Every size, colour and finish on request — we find it for you.



DECORATIVE GLASS

20

Enamelled & printed glass

Screen, ceramic & digital printing

Enamel, ceramic ink or digital imagery fixed into the glass by heat treatment — for aesthetics, signage or durability.

Solid colours, repeating patterns, logos or high-definition visuals: we adapt every treatment to your designs.

THICKNESSES

4 · 5 · 6 · 8 · 10 · 12 mm — others on request

DIMENSIONS

Up to 2400 × 4000 mm — depending on process and furnace

TREATMENTS

- Full enamelling (solid colour)
- Screen printing (patterns, lines)
- Digital printing (CMYK, logos, HD images)
- Technical patterns (opacity zones, safety bands)

COLOURS

White, black, grey, blue, green, red, yellow · RAL, Pantone, custom

FINISHES

- Raw or polished edges
- Straight, rounded or bevelled
- Shaped cutting, drilling
- Tempering (required in some cases)

TYPICAL APPLICATIONS

- Kitchen backsplashes
- Decorative façades
- Indoor & outdoor signage
- Shower enclosures
- Lobbies, elevators

STANDARDS EN 12150 · EN 14179 · EN 14449 (if laminated) · CE

Not listed? Every size, colour and finish on request — we find it for you.



SPECIAL & INNOVATIVE

21

Innovative & special glazing

On request

An extended selection of high-value technical glazing — thermal performance, enhanced security, unique design, smart functions.

Each project is studied individually: components, feasibility, formats, minimum quantities and lead times. We manage it from technical analysis to delivery.

SMART & TECHNOLOGICAL

- Electrochromic
- Thermo- / photochromic
- Liquid crystal (PDLC)
- Photovoltaic (BIPV)
- Heated glass
- LED / electroluminescent
- Connected (home automation)
- Phase-change (PCM)

SAFETY & HIGH PERFORMANCE

- Bullet-resistant
- Multilayer armoured
- Anti-burglary
- Active acoustic
- Anti-UV / antibacterial
- Hydrophobic / anti-fog
- Self-cleaning
- Anti-reflective

DECORATIVE & SPECIAL

- Curved or bent glass
- 3D-effect or backlit
- Inclusions (textile, metal...)
- Large-format printed
- Laser-engraved
- One-way, heated & TV mirrors

STANDARDS

Standards depending on product — confirmed with each quote

Not listed? Every size, colour and finish on request — we find it for you.



SPECIAL & INNOVATIVE

22

Photovoltaic glass

BIPV — Building Integrated Photovoltaics

Technical glazing with built-in solar cells (amorphous, mono- or polycrystalline) that generates electricity while acting as a building element — protection, insulation, design.

Used in façades, skylights, balustrades, glass roofs and solar canopies.

THICKNESSES

6 · 8 · 10 · 12 mm — depending on technology and support glass

DIMENSIONS

1000 × 1600 · 1200 × 2000 · 1500 × 2500 mm · others per project

GLAZING TYPES

- Single or laminated with cells
- Insulating unit with PV outer pane
- Cells between two glass sheets
- Tints or screen printing to tune g-value

COLOURS

Clear, extra-clear, tinted (grey, bronze, blue, green...)

FINISHES

Polished edges · Black peripheral printing · Framing-ready · Cable outlet

TYPICAL APPLICATIONS

Double-skin façades · Solar skylights · Active glass roofs · Energy-producing balustrades · Canopies · RE2020, HQE, BEPOS buildings

STANDARDS

EN 50583 · IEC 61215 · IEC 61730 · EN 1279 · EN ISO 12543 · EN 12150 · EN 410 / 673

Not listed? Every size, colour and finish on request — we find it for you.

PRACTICAL INFORMATION

What we're asked **before every order.**

Delivery	Customs-cleared and delivered to your site — France, Europe and worldwide
Packaging	Secured wooden crates, strapping, wedges and interleaving paper between every sheet
Formats	Standard 3210 × 2550 mm, other sizes on request
Standards	CE · EN 572, EN 1096, EN 12150, EN 12600, EN ISO 12543, EN 14449, EN 1279
Response	Within 24 working hours, with a call and a detailed quote
Languages	12 languages — write to us in yours

WORLDWIDE DELIVERY

Your containers, delivered to the world's major ports.

Middle East & Gulf, Maghreb, Africa, Europe, French overseas territories.

Jebel Ali – Dubai

Jeddah

Hamad – Doha

Dammam


Casablanca

Algiers

Abidjan

Antwerp

All our ports → pages 24–25



IN THE FIELD

Photos and videos sent to you at every step, before departure.

Belgium

Stock for fast truck deliveries

CIF

Export by container to your port

1 contact

From quote to unloading

READY TO ORDER?

Your delivered price, within 24 hours.

contact@noxemgroup.com

WhatsApp +33 7 69 72 58 92



CIF · WORLDWIDE

We deliver to **every port** in the world.

Middle East & Gulf, Maghreb, Africa, Europe, French overseas territories, Americas and Asia: your flat glass containers, shipped CIF to the port of your choice.

OUTSIDE EUROPE

CIF to your port

Your container is delivered to the destination port of your choice.

IN EUROPE

Customs-cleared to your site

Delivered duty paid, directly on site (DAP).

WITH EVERY ORDER

Documents supplied

CE certificates, EN standards, transport and export documents.

53+

ports served

6

regions of the world

24 h


your price for your port

[Get a price for my port →](#)

OUR PORTS

Your container, **ClF** to your port.

- Stock & sourcing hubs
- Destination ports



MIDDLE EAST & GULF

Jebel Ali – Dubai · Khalifa – Abu Dhabi · Hamad – Doha · Dammam · Jeddah · Kuwait · Sohar · Salalah · Aqaba · Beirut · Umm Qasr

MAGHREB & MEDITERRANEAN

Casablanca · Tanger Med · Algiers · Oran · Tunis – Radès · Alexandria · Port Said · Mersin · Istanbul

EUROPE

Antwerp · Rotterdam · Le Havre · Marseille-Fos · Hamburg · Gdańsk · Valencia · Genoa · Piraeus · Constanța

AFRICA

Dakar · Abidjan · Lagos · Douala · Pointe-Noire · Luanda · Djibouti · Mombasa · Durban

FRENCH OVERSEAS & ISLANDS

Pointe-à-Pitre · Fort-de-France · Dégrad-des-Cannes · Port Réunion · Longoni – Mayotte · Port Louis – Mauritius · Nouméa · Papeete

AMERICAS & ASIA

Montreal · New York · Miami · Santos · Nhava Sheva – Mumbai · Singapore



Your port isn't listed?

We deliver worldwide. Tell us your destination port — your price within 24 h.

[My port →](#)

LEGAL

General Terms and Conditions of Sale

Noxem Group · A subsidiary of Montaugem, share capital €5,177,000 · 5 chemin du Jubin, 69570 Dardilly, France · RCS Lyon 945 290 310

1. General provisions

These General Terms and Conditions of Sale apply exclusively to all our sales. Any order for glass, of any kind, placed by the client with Noxem Group implies full and unconditional acceptance of these General Terms and Conditions of Sale. Any conflicting clause stipulated in the client's General Terms and Conditions of Purchase shall not be enforceable, unless expressly and formally accepted in writing by Noxem Group.

2. Orders

2.1 Orders are only considered final after written acceptance from our company. Telephone orders are placed under the client's sole responsibility and must be confirmed by Noxem Group. Any cancellation or modification of an order already in production or manufacturing will result in invoicing.

2.2 The minimum order volume is 3,000 m², unless otherwise agreed in writing by Noxem Group.

3. Subcontracted work

Materials entrusted remain under the client's responsibility. Damages or breakage will not be replaced unless a prior agreement has been made.

4. Delivery times

Delivery times are provided for information purposes only. No delay shall justify the cancellation of an order or the claim for compensation.

5. Prices

5.1 The price of glass is that indicated in the valid quotation at the time of the order. Quotations are valid for 15 days. Beyond this period, the quoted prices are no longer guaranteed and a new quotation must be issued to the client.

5.2 Since glass prices fluctuate throughout the year, our price commitment is made quotation by quotation, and in no case for a long-term, quarterly, or annual period.

5.3 Our prices are quoted excluding VAT and on an ex-works basis.

5.4 Accepted payment methods are: bank transfer to our account (bank details provided with invoice), bill of exchange (LCR), cash payment.

6. Tolerances and dimensions

Cutting tolerances follow glass industry standards (+2 mm to +20 mm depending on format).

7. Liability – Warranty

Our products are guaranteed against manufacturing defects. Our liability is strictly limited to the replacement of products found to be defective. No other compensation may be claimed. Glass shades may vary depending on production batches.

8. Transport – Delivery

Our goods travel under our responsibility until delivery to the client's premises. The client is responsible for unloading and checking upon receipt. In the event of damage observed in the container upon receipt, the client must immediately notify us with photos and, if applicable, a bailiff's report. Beyond receipt, no claim will be accepted.

LEGAL**General Terms and Conditions of Sale (continued)****9. Payment terms**

Unless otherwise agreed, and subject to the client providing an accepted credit insurance, our invoices are payable with a 30% down payment at the time of order confirmation by Noxem Group, with the balance payable within 30 days to our head office bank account (details provided with the invoice). Without credit insurance, invoices are payable in full upon order confirmation by Noxem Group. In case of non-payment, late payment interest shall be automatically due, and ongoing orders may be suspended.

10. Retention of title

10.1 In accordance with Law No. 80-335 of May 12, 1980, the goods remain the property of Noxem Group until full payment of the price.

10.2 The client is expressly prohibited from pledging the glass as collateral or disposing of it, notably by resale or incorporation into another transaction, before full payment of the sums due to Noxem Group. In the event of a third-party seizure of the delivered glass, the client must immediately inform Noxem Group.

10.3 In the event of receivership, liquidation, or any other collective procedure concerning the client, the delivered glass may be reclaimed within three months following the court decision.

10.4 In the event of repossession of delivered glass under the retention of title clause, Noxem Group shall retain any deposits received as damages, as compensation for the prejudice caused by the termination of the contract and the wear of the glass used by the client.

11. Acceleration clause

Any payment incident shall automatically trigger the acceleration of all amounts owed. These amounts shall become immediately due, increased by a 15% penalty as a liquidated damages clause.

12. Claims

Any claim regarding delivered goods or business relations must be reported by email to contact@noxemgroup.com or by registered letter with acknowledgment of receipt sent to: Noxem Group, 5 chemin du Jubin, 69570 Dardilly, France.

13. Right of citation – Reference

Any glass order placed with Noxem Group implies acceptance that the client may be cited as a reference by Noxem Group, unless written objection is received from the client. Noxem Group may then use the client as a reference in its commercial documentation and on its website.

14. Governing law – Jurisdiction

These General Terms and Conditions of Sale are governed by French law. Any dispute relating to their interpretation or execution shall be submitted to the competent courts within the jurisdiction of the Court of Appeal of Lyon.



NOXEM GROUP
FRANCE

REQUEST A PRICE

Send your references and
delivery place. **Answer within
24 h.**

CLICK TO VISIT OUR WEBSITE

www.noxemgroup.com



PHONE

+33 (0)2 59 50 84 59

Monday to Friday, 9am – 6pm

WHATSAPP

+33 7 69 72 58 92

Aaron Harfi, CEO

E-MAIL

contact@noxemgroup.com

aaron.harfi@noxemgroup.com

WEBSITE

noxemgroup.com

Available in 12 languages

NOXEM GROUP SAS · A subsidiary of Montaugem, share capital €5,177,000

5 chemin du Jubin, 69570 Dardilly, France · RCS Lyon 945 290 310 · © Noxem Group 2026

— All rights reserved

